

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
Cities.				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Rangoon Do Rotterdam Saigon Do St. Petersburg San Luis Potosi Do Sheffield Do Singapore Smyrna Do Do Turin Do Southampton Stoke on Trent Do Swansea Do Tarragona Valencia Do Vienna Vigo Vienna Vigo Viadivostok Warsaw Do	July 20 July 27 July 29 Aug. 7 July 29 Aug. 10 June 15 June 22 Aug. 10 Aug. 17 July 20 June 3 June 15 June 22 Aug. 11 Aug. 18 Aug. 24 Aug. 17 Aug. 24 Aug. 10 Aug. 17 Aug. 24 Aug. 10 June 15 June 15 June 15 June 15	293, 316 441, 338 250, 000 1, 962, 700 82, 946 455, 000 303, 328 200, 000 430, 770 120, 896 237, 153 117, 150 23, 150 23, 150 23, 150 23, 150 23, 150 23, 150 23, 150 23, 150 23, 150 20, 299 821, 369	236 233 99 53 1, 189 52 64 101 97 254 60 79 92 157 71 26 67 71 26 63 66 7 7 25 63 64 7 25 64 25 25 25 25 25 25 25 25 25 25 25 25 25	9 16 130 3 3 2 11 10 9 15 11 11 19 14 2 2 2 6 4 4 3 3 3 3 3 3 3 3 3 3 3 11 10 11 11 11 11 11 11 11 11 11 11 11	32 38 2	7 1 51 76		3 1		47 1 1 1 1 5 1 1 1 1 1 3 1 5 2 1 3	2 	1 1 1 2 2 1 2 2 1 2 3	2 3 3	
Do. West Hartlepool Winnipeg Yarmouth Yokohama	June 22 Aug. 10 Aug. 17 July 20 Aug. 5	63,932 166,553 6,511 444,039	264 12 48	3				2		2 1 	3 1 1	1 		

MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (Untabulated).

Brazil—Pernambuco.—Two weeks ended May 31, 1912. Population, 225,000. Total number of deaths from all causes 354, including smallpox 20, yellow fever 2.

British Burma—Rangoon.—Month of June, 1912. Population, 293,316. Total number of deaths from all causes 856, including cholera 17, plague 73, smallpox 4, tuberculosis 33.

France—Marseille.—Month of July, 1912. Population, 550,619. Total number of deaths from all causes 860, including diphtheria 4, measles 6, smallpox 1, tuberculosis 142, typhoid fever 19.

Roubaix.—Month of July, 1912. Population, 122,723. Total number of deaths from all causes 157, including diphtheria 1, scarlet fever 1, tuberculosis 25, typhoid fever 2.

Great Britain.—Week ended August 3, 1912.

England and Wales.—The deaths registered in 95 great towns of England and Wales correspond to an annual rate of 11 per 1,000 of the population, which is estimated at 17,639,881.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 16.4 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Kilkenny, viz, 5, and the highest at Ballymena, viz, 32.1, per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 13.4 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Motherwell, viz, 2.5, and the highest at Greenock viz, 19.2, per 1,000. The total number of deaths from all causes was 560, including diphtheria 5, measles 8, scarlet fever 2.

ITALY—Genoa.—Two weeks ended July 31, 1912. Population 283,266. Total number of deaths from all causes 174, including diphtheria 1, tuberculosis 10, typhoid fever 3.

Two weeks ended August 15, 1912. Total number of deaths from all causes 151, including diphtheria 3, tuberculosis 33, typhoid fever 3.

Malta.—Month of July, 1912. Population 212,332. Total number of deaths from all causes 445, including tuberculosis 17.

Spain—Almeria.—Month of July, 1912. Population 53,000. Total number of deaths from all causes 87, including measles 1, smallpox 3, tuberculosis 6, typhus fever 5.

Malaga.—Month of June, 1912. Population 132,000. Total number of deaths from all causes 314, including diphtheria 6, measles 10, scarlet fever 1, smallpox 3, tuberculosis 16, typhoid fever 3.

By authority of the Secretary of the Treasury:

RUPERT BLUE,
Surgeon General,
United States Public Health Service.

ADDITIONAL COPIES of this publication may be procured from the SUPERINTENDENT OF DOCUMENTS, Government Printing Office, Washington, D. C., at 5 cents per copy.

Subscription price, per volume - - - \$2

